















- [7] C. Thiel and C. Schmullius, "Investigating the impact of freezing on the ALOS PALSAR InSAR phase over Siberian forests," *Remote Sens. Lett.*, vol. 4, no. 9, pp. 900–909, Sep. 2013.
- [8] *Landsskogtakseringens Feltinstruks 2008, Håndbok fra Skog og Landskap 05/08*, Anon, Ås, Norway, 2008.
- [9] L. G. Marklund, *Biomassafunktioner för tall, gran och björk i Sverige*. Uppsala, Sweden: Sveriges Landbruksuniversitet, 1988, pp. 1–73.
- [10] M. Martone *et al.*, "Coherence evaluation of TanDEM-X interferometric data," *ISPRS J. Photogramm. Remote Sens.*, vol. 73, pp. 21–29, Sep. 2012.
- [11] R. M. Goldstein and C. L. Werner, "Radar interferogram filtering for geophysical applications," *Geophys. Res. Lett.*, vol. 25, no. 21, pp. 4035–4038, Nov. 1998.
- [12] J. I. H. Askne, P. B. G. Dammert, L. M. H. Ulander, and G. Smith, "C-band repeat-pass interferometric SAR observations of the forest," *IEEE Trans. Geosci. Remote Sens.*, vol. 35, no. 1, pp. 25–35, Jan. 1997.
- [13] T. Mette, K. P. Papathanassiou, and I. Hajnsek, "Biomass estimation from polarimetric SAR interferometry over heterogeneous forest terrain," in *Proc. IEEE Int. Geosci. Remote Sens. Symp.*, Anchorage, AK, USA, 2004, pp. 511–514.
- [14] I. H. Woodhouse, "Predicting backscatter–biomass and height–biomass trends using a macroecology model," *IEEE Trans. Geosci. Remote Sens.*, vol. 44, no. 4, pp. 871–877, Apr. 2006.
- [15] R. Webster, "Regression and functional relations," *Eur. J. Soil Sci.*, vol. 48, no. 3, pp. 557–566, Sep. 1997.
- [16] T. O. Kvålseth, "Cautionary note about R<sup>2</sup>," *Amer. Stat.*, vol. 39, no. 4, pp. 279–285, Nov. 1985.
- [17] O. Schabenberger and F. J. Pierce, *Contemporary Statistical Models for the Plant & Soil Sciences*. Boca Raton, FL, USA: CRC Press, 2001.
- [18] J. Praks, C. Demirpolat, O. Antropov, and M. Hallikainen, "On forest height retrieval from spaceborne X-band interferometric SAR images under variable seasonal conditions," in *Proc. XXXII Finnish URSI Conv. Radio Sci. SMARAD Semin.*, Otaniemi, Finland, Apr. 24–25, 2013, pp. 115–118.
- [19] K. Sarabandi, "Δk-radar equivalent of interferometric SAR's: A theoretical study for determination of vegetation height," *IEEE Trans. Geosci. Remote Sens.*, vol. 35, no. 5, pp. 1267–1276, Sep. 1997.
- [20] S. Solberg, R. Astrup, O. M. Bollandsas, E. Naesset, and D. J. Weydahl, "Deriving forest monitoring variables from X-band InSAR SRTM height," *Can. J. Remote Sens.*, vol. 36, no. 1, pp. 68–79, Feb. 2010.
- [21] S. Solberg *et al.*, "Estimating spruce and pine biomass with interferometric X-band SAR," *Remote Sens. Environ.*, vol. 114, no. 10, pp. 2353–2360, Oct. 2010.



**Svein Solberg** (M'13) received the M.Sc. degree in forestry in 1985 and the Dr.Agric. degree on forest health monitoring in 1999.

Since 1990, he has been a Researcher with the Norwegian Forest and Landscape Institute, Ås, Norway. During 2008–2013, he had a professorship in environmental monitoring with the University of Life Sciences, Ås. He has worked on a variety of remote sensing technologies and has developed methods for deriving leaf area index and single-tree segmentation from airborne laser scanning. In recent

years, he has focused on SAR and, in particular, interferometric X-band SAR and radargrammetry for monitoring of volume and biomass, as well as detection of logging and storm damage. He has authored or coauthored 43 papers published in international peer-reviewed journals. His major field of research is on monitoring forest disturbance and resources, partly based on remote sensing methods.



**Dan Johan Weydahl** received the B.Sc. degree in electronic communication and the Dipl.Eng. degree from the University of Salford, Salford, U.K., in 1988 and 1991, respectively, and the Ph.D. degree from the University of Oslo, Oslo, Norway, in 1998.

Since 1989, he has been a Scientist with the Norwegian Defence Research Establishment, Kjeller, Norway. He has contributed to several international scientific work packages organized through Western European Armament Group European Cooperative Long-Term Initiative for Defense, participated in the

European Multisensor Airborne Campaign, been a Coinvestigator of an ESA AO-TanDEM project, and been the Principal Investigator for an X-SAR/SRTM project. He is currently the Principal Investigator for Envisat ASAR, ALOS PALSAR, TerraSAR-X, and RADARSAT-2. He also gives lectures in synthetic aperture radar (SAR) image analysis at the University of Oslo. His research interests are in satellite image processing, SAR image calibration, multitemporal SAR image change detection and analysis, and SAR interferometry and polarimetry.



**Rasmus Astrup** received the Ph.D. degree in forest science from The University of British Columbia, Vancouver, Canada.

He is currently the Director for the Department of Forest Resources with the Norwegian Forest and Landscape Institute, Ås, Norway. His research interests include forest inventory and forest modeling with focus on the interface between forest and climate change. In forest inventory, his main research interest is the development of inventory methods that combine remote sensing with field-based inventories.

In forest modeling, his main interest is the development of simulation models for the prediction of national and regional forest development.